

Name \_\_\_\_\_

# CHM 1045 - General Chemistry I

## Exam 4 19992a

### I. Matching (Match the BEST answer) (1 point each)

- |                                  |   |
|----------------------------------|---|
| ___ 1. Pauli Exclusion Principle | A. Principle quantum number   |
| ___ 2. Transition                | B. The movement of an electron from one energy level to another                                     |
| ___ 3. Photon                    | C. Electrons remain unpaired as long as possible  |
| ___ 4. Uncertainty Principle     | D. The energy required to add an electron to an atom  |
| ___ 5. Hund's Rule               | E. Electrons of polyatomic atoms go in hydrogen-like orbitals starting with the lowest energy first |
| ___ 6. Orbital                   | F. The speed of light   |
| ___ 7. Amphoteric Substance      | G. The energy required to remove an electron from an atom   |
| ___ 8. Aufbau Principle          | H. Azimuthal quantum number   |
| ___ 9. Ground State              | I. You can't know both the location and momentum of an electron at once                             |
| ___ 10. Degenerate Orbitals      | J. No two electrons can have the same 4 quantum numbers   |
| ___ 11. Planck's Constant        | K. Magnetic quantum number  |
| ___ 12. Ionization Energy        | L. Relates the energy of a photon to its frequency  |
| ___ 13. Electron Affinity        | M. The lowest energy state for a given electron   |
| ___ 14. $c$                      | N. A quantum of light energy  |
| ___ 15. Isoelectronic            | O. Has both acidic and basic properties   |
| ___ 16. $n$                      | P. The 3D region of space in which you might expect to find an electron's wave function             |
| ___ 17. $l$                      | Q. Identical electron configurations  |
| ___ 18. $m_l$                    | R. Examples include $p_x p_y p_z$ and the d and f orbitals  |

**II. Give the complete electron configurations for the elements shown below. ( $p^6$  notation is OK) (2 points each)**

Chromium -

Strontium -

Iron -

Oxygen - (be sure to include all sublevels and electron spins on this one,  $p^6$  notation is NOT OK)

**III. Fill in the blanks (1 point each blank)**

1. Give three examples of electromagnetic radiation besides visible light. \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_.
2. The speed of EMR is always constant in a given medium and is equal to \_\_\_\_\_ m/sec in a vacuum.
3. The wavelength of EMR is equal to the \_\_\_\_\_ divided by the \_\_\_\_\_.
4. "s" orbitals are believed to be shaped like a \_\_\_\_\_, while "p" orbitals are shaped like \_\_\_\_\_.
5. The dual nature of light says that sometimes light can act like a \_\_\_\_\_ and sometimes it can act like a \_\_\_\_\_.
6. The outer electron of a potassium atom has 3 quantum numbers associated with it in addition to its spin. The values of these three quantum numbers are  $n =$  \_\_\_\_\_,  $l =$  \_\_\_\_\_,  $m_l =$  \_\_\_\_\_.
7. If an electron has a principle quantum number equal to 3, what are the allowed values for the magnetic quantum number for the "p" orbitals? \_\_\_\_\_
8. Which atom is larger: Ra or Sr ? \_\_\_\_\_, Cs or Bi ? \_\_\_\_\_, Ba or Si ? \_\_\_\_\_

9. Which atom has a larger 1st ionization energy: Na or Al ? \_\_\_\_\_, Te or O ? \_\_\_\_\_
10. Which atom has the smallest negative  $\Delta H$  for the 1st electron affinity: Na or F ? \_\_\_\_\_
11. What atom has the larger 2nd ionization energy? K or Ca ? \_\_\_\_\_
12. As the atomic number increase from 25 to 26, the additional electron is added to the \_\_\_\_\_ orbitals. As the atomic number increase from 60 to 61, the additional electron is added to the \_\_\_\_\_ orbitals. The halogens all have \_\_\_\_\_ (how many) electrons in outer \_\_\_\_\_ and \_\_\_\_\_ (what kind) orbitals. The noble gases all have complete outer \_\_\_\_\_ and \_\_\_\_\_ orbitals (what kind).
13. Chlorine gas is highly reactive but  $\text{Cl}^{-1}$  ions are nonreactive. Why?  
 \_\_\_\_\_  
 \_\_\_\_\_
14. The lower the frequency and longer the wavelength the \_\_\_\_\_  
 (greater/smaller) the amount of energy of the radiation.

#### Equations and Values

$$c = \lambda \nu$$

$$E_{\text{electron}} = -2.178 \times 10^{-18} \text{J} (1/n^2)$$

$$1/\lambda = 109700 \text{cm}^{-1} (1/n_{\text{lower}}^2 - 1/n_{\text{upper}}^2)$$

$$E_{\text{photon}} = h\nu$$

$$c = 2.99 \times 10^{10} \text{cm/sec}$$

$$h = 6.63 \times 10^{-34} \text{J} \cdot \text{sec}$$

$$\text{Rydberg's } R = 109700 \text{cm}^{-1}$$

#### IV. Problems (All three problems are related. Use the answer to 1 to do 2, etc.)

1. What is the energy of an electron in the 5th energy level of a hydrogen atom? (6 points)

2. If the energy of an electron in the 1<sup>st</sup> energy level of a hydrogen atom is  $-2.180 \times 10^{-18} \text{J}$ , how much energy is released when the electron in problem 1 (5<sup>th</sup> energy level) falls to the 1<sup>st</sup> energy level? (6 points)
3. What is the FREQUENCY AND WAVELENGTH of the photon of light produced when an electron on a hydrogen atom falls from the 5th energy level to the 1st energy level? Hint – You can solve this problem even if you didn't do problems 1 and 2. (12 points)

**V. MULTIPLE CHOICE (Circle the best answer) (2 points each)**

1. Which radiation has the shortest wavelength?
- Microwaves
  - Infrared Radiation
  - Blue light
  - Red light
  - Radio waves
2. Which of the following has the highest energy per photon?
- Radio waves
  - Infrared radiation
  - Microwaves
  - Red light
  - Ultraviolet light
3. The contribution for which de Broglie is remembered in modern science is
- his statement that an electron can exist in an atom only in discrete energy levels.
  - his statement that no electron can have identical values for all four quantum numbers.
  - his proposal that particles of matter should be associated with wavelike behavior.
  - his statement that elements show periodic repetition of properties.
  - his statement that electrons occupy all the orbitals of a given sublevel singly before pairing begins.

4. All the following statements are true except
- The  $n = 5$  energy level has five different kinds of orbitals.
  - The  $2p$  orbitals can have a maximum of 6 electrons.
  - Each  $p$  orbital has a dumbbell shape.
  - There are 7  $f$  orbitals in a set.
  - The second major energy level has two sets  $p$  orbitals.
5. All of the following quantum number combinations are allowed EXCEPT
- $n=1, l=0, m_l=0, m_s= + \frac{1}{2}$ .
  - $n=4, l=0, m_l=0, m_s= + \frac{1}{2}$ .
  - $n=3, l=3, m_l=+3, m_s= - \frac{1}{2}$ .
  - $n=3, l=1, m_l=0, m_s= + \frac{1}{2}$ .
  - $n=4, l=3, m_l=+2, m_s= - \frac{1}{2}$ .
6. The two quantum numbers which represent a  $3d$  electron are
- $n = 4, l = 2$ .
  - $n = 3, l = 3$ .
  - $n = 4, l = 3$ .
  - $n = 3, l = 2$ .
  - $n = 3, l = 1$ .
7. Which of the following does not have noble gas configuration?
- $P^{-3}$
  - $Al^{+3}$
  - $F^{-1}$
  - $K^{+1}$
  - $Zn^{+2}$
8. The maximum number of  $2d$  electrons is
- 10.
  - 7.
  - 5.
  - 4.
  - 0.

9. The total number of electrons in “s” orbitals in a zirconium atom  ${}_{40}\text{Zr}$  is

- a. 2.
- b. 6.
- c. 10.
- d. 18.
- e. 40.

10. Which of the following species is isoelectronic with Kr?

- a. Xe
- b.  $\text{K}^{+1}$
- c.  $\text{In}^{+3}$
- d.  $\text{S}^{-2}$
- e.  $\text{Sr}^{+2}$